
Bore Log

Project	Sample Project for Academic Use			
Client	ABC Construction Ltd.			
Location	Chhota Banagram, Rajshahi			
Bore Hole No.	01		Date	2023-05-09

Sample ID	Depth (m)	Layer Thickness (m)	Layer Description	Bore Log	SPT-N Value
D-01	0.00	9	Gray, soft to medium stiff to very stiff, clayey silt		
D-02	1.50				3
D-03	3.00				4
D-04	4.50				8
D-05	6.00				11
D-06	7.50				14
D-07	9.00				15
D-08	10.50	6	Gray, medium dense to dense, fine sandy silt with mica		18
D-09	12.00				20
D-10	13.50				25
D-11	15.00				29
D-12	16.50				36
D-13	18.00				39
D-14	19.50				42
D-15	21.00				44
D-16	22.50				
D-17	24.00				
D-18	25.50				
D-19	27.00				
D-20	28.50				
D-21	30.00				

SPT Value Graph



Legends				
	Silt / Clay		E.G.L	- m
	Sand & Clay / Silt		G.W.L	4.50 m
	Sand		Borehole Dia.	100 mm

Sample data for academic purposes only. Not for real-world use.